

# Stylesheet

Leon Rische

[2019-12-27 Fri 16:44]

## Contents

|          |  |          |
|----------|--|----------|
| <b>1</b> | <b>Font Size / Spacing Constants</b>         | <b>1</b> |
| <b>2</b> | <b>Color Constants</b>                       | <b>2</b> |
| <b>3</b> | <b>Define Mixins for Responsive Styling</b>  | <b>2</b> |
| <b>4</b> | <b>Main Styling</b>                          | <b>2</b> |
| <b>5</b> | <b>Styling of TODO Keywords</b>              | <b>3</b> |
| <b>6</b> | <b>Syntax Highlighting for Source Blocks</b> | <b>3</b> |

The stylesheet for this website is generated by combining (tangling) the `scss` code blocks in this file, then converting them to `css`.

It should have the aesthetic of unstyled html while adding minimal styling to make sure the website looks good on large screens.

```
language=Lisp,label=,caption=,captionpos=b,numbers=none (org-babel-  
tangle-file (buffer-file-name))
```

```
language=bash,label=,caption=,captionpos=b,numbers=none cd /org/static  
sassc style.scss > style.css cp style.css /org/website/html/static/style.css
```

## 1 Font Size / Spacing Constants

```
language=scss,label=,caption=,captionpos=b,numbers=none @charset "utf-  
8";
```

```
ratio : 1.272; //sqrt(golden_ratio)  
// Typographic Scale base - font - size : 16px!default;small-font-size:  
base - font - size/ratio!default; h3 - font - size :base-font-size * ratio;h2-  
font-size: h3 - font - size*ratio; h1 - font - size :h2-font-size * ratio;
```

```
base - line - height : 1.6!default;spacing-unit: 30px !default;
```

## 2 Color Constants

Color scheme: base16 IA light.

```
language=scss,label= ,caption= ,captionpos=b,numbers=none base00 :  
f6f6f6;base01: dedede; base02 : bde5f2;base03: 898989; base04 : 767676;base05:  
181818; base06 : e8e8e8;base07: f8f8f8; base08 : 9c5a02;base09: c43e18;  
base0A : c48218;base0B: 38781c; base0C : 2d6bb1;base0D: 48bac2; base0E :  
a94598;base0F: 8b6c37;
```

Use these colors to define color constants.

```
language=scss,label= ,caption= ,captionpos=b,numbers=none border -  
color :base04; text - color :base05 !default; // So that images with white  
background don't look bad background - color : ffffff!default;
```

## 3 Define Mixins for Responsive Styling

```
language=scss,label= ,caption= ,captionpos=b,numbers=none @mixin on-  
large-screen() @media screen and (min-width: 1000px) @content;  
@mixin relative-font-size(ratio - small,ratio-large) font-size: base -  
font - size*ratio-small; @include on-large-screen() font-size: base - font -  
size*ratio-large;
```

## 4 Main Styling

```
language=scss,label= ,caption= ,captionpos=b,numbers=none body margin:  
auto; max-width: 60em; padding: 10px 20px; // font-family: "Open  
Sans", sans-serif; font-family: serif; font-size: 1rem; line-height: base - line -  
height; color :text-color; background-color: background - color;  
h1 font-size: h1 - font - size;  
h2 font-size: h2 - font - size;  
h3 font-size: h3 - font - size;  
h1, h2, h3, h4, h5, h6, p, blockquote, pre, ul, ol, dl, figure, margin-  
bottom: spacing - unit/2;  
img max-width: 100vertical-align: middle;  
figure > img display: block;  
figcaption font-size: small - font - size;  
ul, ol margin-left: spacing - unit;padding : 0;  
li > ul, > ol margin-bottom: 0;
```

```

a text-decoration: none;
:hover text-decoration: underline;
article header margin-bottom: spacing-unit; //h1//@includerelative - font - size(1.75, 2.0); //l
.image-small width: 32.99
.image-medium width: 49.99
blockquote color: lighten(text-color, 20); border-left : 2px solid border-
color; padding: 0 spacing-unit; margin-left : 0;
> :last-child margin-bottom: 0;
pre, code font-size: small - font - size; background :background-color;
font-family: "Source Code Pro", Consolas, "Ubuntu Mono", Menlo, "DejaVu
Sans Mono", monospace;
code padding: 1px 5px;
pre border-left: 2px solid border-color; padding : 0spacing-unit; overflow-
x: auto;
> code background: background - color; border : 0; padding - right :
0; padding - left : 0;

```

## 5 Styling of TODO Keywords

```

language=scss,label= ,caption= ,captionpos=b,numbers=none span.TODO,
span.NEXT color: base09;

```

## 6 Syntax Highlighting for Source Blocks

```

language=scss,label= ,caption= ,captionpos=b,numbers=none .org-src-container
.org-keyword font-weight: bold .org-function-name color: base0D; font -
weight : bold.org - variable - namecolor :base08 .org-comment color:
base03; font - style : italic.org - comment - delimitercolor :base02; font-
style: italic .org-type color: base0A; font - weight : bold

```